INDEX TO VOLUME 32 1997

Index to Authors and Contributors

AKISANYA, A. R. *Paper* On the singular stress field near the edge of bonded joints, 301
ALDERSON, A. *Paper* The interpretation of the strain-dependent Poisson's ratio in auxetic polyethylene, 201
ALDERSON, K. L. *Paper* The interpretation of the strain-dependent Poisson's ratio in auxetic polyethylene, 201
ALIABADI, M. H. *Paper* A path-independent integral for stress intensity factors in three dimensions, 411
ALLEN, H. G. *Paper* Cyclic creep and creep–fatigue interaction in sandwich beams, 1
ASUNDI, A. *Paper* A constitutive model for anisotropic, kinematic hardening materials, 175
ATHERTON, D. L. *Paper* Machining of simulated defects in pipeline steels: a neutron diffraction study of local stress effects, 325
AVALLE, M. *Paper* Static lateral compression of aluminium tubes: strain gauge measurements and discussion of theoretical models, 335

BAINBRIDGE, C. M. *Paper* A path-independent integral for stress intensity factors in three dimensions, 411
BECKER, A. A. *Paper* Creep continuum damage constitutive equations for the base, weld and heat-affected zone materials of a service-aged $\frac{1}{2}$Cr $\frac{1}{2}$Mo $\frac{1}{4}$V : $2\frac{1}{4}$ Cr 1Mo multipass weld at 640 °C, 273
BURGUETE, R. L. *Paper* A photoelastic study of the effect on subsurface stresses of the contact geometry and friction, 425

CHEN, T. Y. *Paper* Computer aided photoelastic stress analysis of a variable-pitch lead screw, 157
CHICUREL, E. *Technical Note* Stress calculation in welds taking into account the bearing force between the welded parts, 461
CHRISTENSEN, J. T. *Paper* Strain gauge measurement of wheel–rail interaction forces, 183
CLAPHAM, L. *Paper* Machining of simulated defects in pipeline steels: a neutron diffraction study of local stress effects, 325
CLARK, S. D. *Paper* Cyclic creep and creep–fatigue interaction in sandwich beams, 1
CRISTOFOLINI, L. *Paper* *In vitro* measured strains in the loaded femur: quantification of experimental error, 193

de CASTRO, P. M. S. T. *Paper* The linear elastic stress analysis of curved pipes under generalized loads using a reduced integration finite ring element, 47
DENG, W. *Paper* A constitutive model for anisotropic, kinematic hardening materials, 175
DIXON, M. W. *Paper* A new static failure criterion for ductile materials, 345
DONG, L. *Paper* End reinforcement of composite cylinders for biaxial testing, 129

EDWARDS, L. *Paper* A practical guide to the measurement of the elastic stress intensity factor in engineering materials by the method of caustics, 253
EVANS, K. E. *Paper* The interpretation of the strain-dependent Poisson's ratio in auxetic polyethylene, 201

FESSLER, H. *Paper* Stress distribution in gudgeon pins, 375
FOK, W. C. *Paper* A procedure for equation fitting of computer-generated design data, 365
FREDDI, A. *Paper* *In vitro* measured strains in the loaded femur: quantification of experimental error, 193
FUTASE, K. *Paper* Deformation behaviour of the cross-section of a heat-sealed area in plastic film used for liquid package bags, 29

GHOSH, S. *Paper* Localized meatal forming simulation by r–s-adapted arbitrary Lagrangian–Eulerian finite element method, 237
GOGLIO, L. *Paper* Static lateral compression of aluminium tubes: strain gauge measurements and discussion of theoretical models, 335
GRAHAM, U. *Paper* Strain distributions around fasteners in laminated plates under biaxial in-plane loading, 167
GRANT, R. J. *Paper* A parametric study of the elastic stress distribution in pin-loaded tubes, 213
GUROVA, T. *Paper* Variation of the residual stress state in a welded joint during plastic deformation in a 5.0% Cr and 0.5% Mo steel, 455

HILLS, D. A. *Papers* Stresses in a flat plate due to a loose pin pressing against a cracked hole, 145. Stress intensity factors and fatigue life of beams in reversed bending, 401
HOLDEN, T. M. *Papers* Machining of simulated defects in pipeline steels: a neutron diffraction study of local stress effects, 325. Residual stresses in alumino-thermic welded rails, 389
HYDE, T. H. *Papers* Stress singularities at the free surface of an axisymmetric two-material creep test specimen, 107. Creep continuum damage constitutive equations for the base, weld and heat-affected zone materials of a service-aged $\frac{1}{2}$Cr $\frac{1}{2}$Mo $\frac{1}{4}$V : $2\frac{1}{4}$ Cr 1 Mo multipass weld at 640 °C, 273. Stress distribution in gudgeon pins, 375. Prediction of elastic–plastic displacements of tubular joints under combined loading using an energy-based approach, 435

JÖNSSON, J. *Paper* Strain gauge measurement of wheel–rail interaction forces, 183

KANG, W. P. *Paper* Residual stresses in alumino-thermic welded rails, 389
KELLY, D. W. *Papers* Benchmarking of a destructive technique to determine residual stess in thick-walled axisymmetric components, 87. A comparison of potential methods for the alleviation of residual stresses in the necks of aluminium alloy thick-walled gas cylinders, 315
KERR, D. C. *Paper* Effects of the state of stress on the tensile and creep properties of γ-TiAl, 97
KRAUSE, T. W. *Paper* Machining of simulated defects in pipeline steels: a neutron diffraction study of local stress effects, 325

LEEN, S. B. *Paper* Prediction of elastic–plastic displacements of tubular joints under combined loading using an energy-based approach, 435
LIN, J. S. *Paper* Computer aided photoelastic stress analysis of a variable-pitch lead screw, 157
LIN, S. *Paper* Stresses in a flat plate due to a loose pin pressing against a cracked hole, 145
LIN, X. B. *Papers* Stress intensity factors for semi-elliptical surface cracks in semicircularly notched tension plates, 229. Stress intensity factors for semi-elliptical internal surface cracks in autofrettaged thick-walled cylinders, 351
LIU, C. S. *Paper* The viscoelastic model on endochronic theory, 267

McNAMARA, B. P. *Paper* *In vitro* measured strains in the loaded femur: quantification of experimental error, 193
MELO, F. J. M. Q. *Paper* The linear elastic stress analysis of curved pipes under generalized loads using a reduced integration finite ring element, 47
MICKE, D. *Paper* Machining of simulated defects in pipeline steels: a neutron diffraction study of local stress effects, 325
MILLS, G. *Paper* Residual stresses in alumino-thermic welded rails, 389
MISTRY, J. *Paper* End reinforcement of composite cylinders for biaxial testing, 129
MONIN, V. *Paper* Variation of the residual stress state in a welded joint during plastic deformation in a 5.0% Cr and 0.5% Mo steel, 455
MOOBOLA, R. *Paper* Stress intensity factors and fatigue life of beams in reversed bending, 401

NAZMY, M. *Paper* Effects of the state of stress on the tensile and creep properties of γ-TiAl, 97
NIKBIN, K. M. *Paper* Effects of the state of stress on the tensile and creep properties of γ-TiAl, 97
NOWELL, D. *Papers* Stresses in a flat plate due to a loose pin pressing against a cracked hole, 145. Stress intensity factors and fatigue life of beams in reversed bending, 401

PATTERSON, E. A. *Paper* A photoelastic study of the effect on subsurface stresses of the contact geometry and friction, 425
PAVIER, M. J. *Paper* A finite element simulation of the cold working process for fastener holes, 287
POUSSARDI, C. G. C. *Paper* A finite element simulation of the cold working process for fastener holes, 287
POWER, R. K. *Paper* Orientation and formability of orthotropic sheet metals, 61

© IMechE 1997

RAJU, S. *Paper* Localized metal forming simulation by r–s-adapted arbitrary Lagrangian–Eulerian finite element method, 237
RAMAMURTI, V. *Paper* Numerical analysis and experimental verification of the radial growth of a turbocharger centrifugal compressor impeller, 119
RAMULU, M. *Paper* Influence of fibre on the cutting stress state in machining idealized glass fibre composite, 19
REBELLO, J. M. A. *Paper* Variation of the residual stress state in a welded joint during plastic deformation in a 5.0% Cr and 0.5% Mo steel, 455
REES, D. W. A. *Paper* Orientation and formability of orthotropic sheet metals, 61
ROGGE, R. B. *Paper* Machining of simulated defects in pipeline steels: a neutron diffraction study of local stress effects, 325
ROOKE, D. P. *Paper* A path-independent integral for stress intensity factors in three dimensions, 411

SABET-SHARGHI, R. *Paper* Machining of simulated defects in pipeline steels: a neutron diffraction study of local stress effects, 325
SHARMAN, D. J. *Papers* Benchmarking of a destructive technique to determine residual stresses in thick-walled axisymmetric components, 87. A comparison of potential methods for the alleivation of residual stresses in the necks of aluminium alloy thick-walled gas cylinders, 315
SHENOI, R. A. *Paper* Cyclic creep and creep–fatigue interaction in sandwich beams, 1
SMART, J. *Paper* A parametric study of the elastic stress distribution in pin-loaded tubes, 213
SMITH, D. J. *Papers* The measurement of prior plastic deformation in metallic alloys using the neturon diffraction technique, 37. A finite element simulation of the cold working process for fastener holes, 287
SMITH, R. A. *Papers* Stress intensity factors for semi-elliptical surface cracks in semicircularly notched tension plates, 229. Stress intensity factors for semi-elliptical internal surface cracks in autofrettaged thick-walled cylinders, 351
SRIDHARA, K. *Paper* Numerical analysis and experimental verification of the radial growth of a turbocharger centrifugal compressor impeller, 119
STARK, H. L. *Papers* Benchmarking of a destructive technique to determine residual stresses in thick-walled axisymmetric components, 87. A comparison of potential methods for the alleviation of residual stresses in the necks of aluminium alloy thick-walled gas cylinders, 315
STAUBLI, M. *Paper* Effects of the state of stress on the tensile and creep properties of γ-TiAl, 97
SUBRAMANI, D. A. *Paper* Numerical analysis and experimental verification of the radial growth of a turbocharger centrifugal compressor impeller, 119
SUN, W. *Papers* Stress singularities at the free surface of an axisymmetric two-material creep test specimen, 107. Creep continuum damage constitutive equations for the base, weld and heat-affected zone materials of a service-aged $\frac{1}{2}$Cr $\frac{1}{2}$Mo $\frac{1}{4}$V : $2\frac{1}{4}$ Cr 1 Mo multipass weld at 640 °C, 273
SVENSSON, E. *Paper* Strain gauge measurement of wheel–rail interaction forces, 183

TEODÓSIO, J. R. *Paper* Variation of the residual stress state in a welded joint during plastic deformation in a 5.0% Cr and 0.5% Mo steel, 455
TOOTH, A. S. *Paper* A procedure for equation fitting of computer-generated design data, 365

UMEZAKI, E. *Paper* Deformation behaviour of the cross-section of a heat-sealed area in plastic film used for liquid package bags, 29

VICECONTI, M. *Paper* *In vitro* measured strains in the loaded femur: quantification of experimental error, 193

WALLHEAD, I. R. *Paper* A practical guide to the measurement of the elastic stress intensity factor in engineering materials by the method of caustics, 253
WANG, S.-J. *Paper* A new static failure criterion for ductile materials, 345
WANG, X. D. *Paper* Residual stresses in alumino-thermic welded rails, 389
WEBBER, J. P. H. *Paper* Strain distributions around fasteners in laminated plates under biaxial in-plane loading, 167
WEBSTER, G. A. *Papers* The measurement of prior plastic deformation in metallic alloys using the neutron diffraction technique, 37. Effects of the state of stress on the tensile and creep properties of γ-TiAl, 97
WEBSTER, P. J. *Paper* Residual stresses in alumino-thermic welded rails, 389
WERN, C. W. *Paper* Influence of fibre on the cutting stress state in machining idealized glass fibre composite, 19
WILLIAMS, J. A. *Paper* Creep continuum damage constitutive equations for the base, weld and heat-affected zone materials of service-aged $\frac{1}{2}$Cr $\frac{1}{2}$Mo $\frac{1}{4}$V : $2\frac{1}{4}$ Cr 1 Mo multipass weld at 640 °C, 273
WISNOM, M. R. *Paper* Strain distributions around fasteners in laminated plates under biaxial in-plane loading, 167
WOO, C. W. *Paper* A constitutive model for anisotropic, kinematic hardening materials, 175
WU, W. H. *Paper* The viscoelastic model on endochronic theory, 267

YANG, T. W. *Paper* The viscoelastic model on endochronic theory, 267

© IMechE 1997

Subject Index

A COMPARISON OF POTENTIAL METHODS FOR THE ALLEVIATION OF RESIDUAL STRESSES IN THE NECKS OF ALUMINIUM ALLOY THICK-WALLED GAS CYLINDERS, *Paper*, 315
A CONSTITUTIVE MODEL FOR ANISOTROPIC, KINEMATIC HARDENING MATERIALS, *Paper*, 175
A FINITE ELEMENT SIMULATION OF THE COLD WORKING PROCESS FOR FASTENER HOLES, *Paper*, 287
Alloys:
  aluminium, 315
  metallic, 37
  γ-TiAl, 97
Analysis:
  computer aided photoelastic stress, 157
  linear elastic stress, 47
  numerical, 119
A NEW STATIC FAILURE CRITERION FOR DUCTILE MATERIALS, *Paper*, 345
Anisotropic materials, 175
A PARAMETRIC STUDY OF THE ELASTIC STRESS DISTRIBUTION IN PIN-LOADED TUBES, *Paper*, 213
A PATH-INDEPENDENT INTEGRAL FOR STRESS INTENSITY FACTORS IN THREE DIMENSIONS, *Paper*, 411
A PHOTOELASTIC STUDY OF THE EFFECT ON SUBSURFACE STRESSES OF THE CONTACT GEOMETRY AND FRICTION, *Paper*, 425
Approach, energy-based, 435
A PRACTICAL GUIDE TO THE MEASUREMENT OF THE ELASTIC STRESS INTENSITY FACTOR IN ENGINEERING MATERIALS BY THE METHOD OF CAUSTICS, *Paper*, 253
A PROCEDURE FOR EQUATION FITTING OF COMPUTER-GENERATED DESIGN DATA, *Paper*, 365
Axisymmetric:
  components, 87
  two-material creep test specimen, 107

Bags, liquid package, 29
Beams, 401
  sandwich, 1
Behaviour, deformation, 29
Benchmarking, 87
BENCHMARKING OF A DESTRUCTIVE TECHNIQUE TO DETERMINE RESIDUAL STRESSES IN THICK-WALLED AXISYMMETRIC COMPONENTS, *Paper*, 87
Bending, reversed, 401

Cold working process, 287
Components, thick-walled axisymmetric, 87
Composite:
  cylinders, 129
  glass fibre, 19
Compression, static lateral, 335
Compressor, centrifugal, 119
COMPUTER AIDED PHOTOELASTIC STRESS ANALYSIS OF A VARIABLE-PITCH LEAD SCREW, *Paper*, 157
Cracks, semi-elliptical surface, 229
Creep:
  continuum damage constitutive equations, 273
  cyclic, 1
  –fatigue interaction, 1
  properties, 97
  test specimen, two-material, 107
CREEP CONTINUUM DAMAGE CONSTITUTIVE EQUATIONS FOR THE BASE, WELD AND HEAT-AFFECTED ZONE MATERIALS OF A SERVICE-AGED $\frac{1}{2}$Cr $\frac{1}{2}$Mo $\frac{1}{4}$V : 2$\frac{1}{4}$ Cr 1 Mo MULTIPASS WELD AT 640 °C, *Paper*, 273
Criterion, new static failure, 345
CYCLIC CREEP AND CREEP–FATIGUE INTERACTION IN SANDWICH BEAMS, *Paper*, 1
Cylinders:
  aluminium alloy thick-walled gas, 315
  composite, 129

Damage, creep continuum, 273
Defects, simulated, 325
Deformation:
  behaviour, 29
  plastic, 455
  prior plastic, 37
DEFORMATION BEHAVIOUR OF THE CROSS-SECTION OF A HEAT-SEALED AREA IN PLASTIC FILM USED FOR LIQUID PACKAGE BAGS, *Paper*, 29
Design, computer-generated, 365
Distribution:
  elastic stress, 213
  stress, 375

Effects, local stress, 325
EFFECTS OF THE STATE OF STRESS ON THE TENSILE AND CREEP PROPERTIES OF γ-TiAl, *Paper*, 97
Elastic:
  linear stress analysis, 47
  stress distirbution, 213
Elastic–plastic displacements, 435
Element, reduced integration finite ring, 47
Endochronic theory, 267
END REINFORCEMENT OF COMPOSITE CYLINDERS FOR BIAXIAL TESTING, *Paper*, 129
Energy-based approach, 435
Equations:
  creep continuous damage constitutive, 273
  fitting, 365
Error, experimental, 193

Factors, stress intensity, 229, 253, 401, 411
Failure, new static, criterion, 345
Fasteners, 167
Fatigue:
  –creep interaction, 1
  life, 401
Femur, loaded, 193
Fibre, influence of, 19
Film, plastic, 29
Finite element:
  method, 237
  simulation, 287
Forces, wheel–rail interaction, 183
Formability of orthotropic sheet metals, 61
Forming, localized metal, simulation 237
Friction, 425

Gas cylinders, aluminium alloy thick-walled, 315
Geometry, contact, 425
Growth, radial, 119

Heat-sealed area, 29
Hole:
  cracked, 145
  fastener, 287

Impeller, turbocharger centrifugal, 119
INFLUENCE OF FIBRE ON THE CUTTING STRESS STATE IN MACHINING IDEALIZED GLASS FIBRE COMPOSITE, *Paper*, 19
Integral, path-independent, 411
IN VITRO MEASURED STRAINS IN THE LOADED FEMUR: QUANTIFICATION OF EXPERIMENTAL ERROR, *Paper*, 193

Joints:
  bonded, 301
  tubular, 435
  welded, 455

Kinematic materials, 175

Life, fatigue, 401

© IMechE 1997

Loading:
biaxial in-plane, 167
combined, 435
Loads, generalized, 47
LOCALIZED METAL FORMING SIMULATION BY R–S-ADAPTED ARBITRARY LAGRANGIAN–EULERIAN FINITE ELEMENT METHOD, *Paper*, 237

MACHINING OF SIMULATED DEFECTS IN PIPELINE STEELS: A NEUTRON DIFFRACTION STUDY OF LOCAL STRESS EFFECTS, *Paper*, 325
Materials:
anisotropic, 175
ductile, 345
engineering, 253
kinematic hardening, 175
zone, 273
Measurement, strain gauge, 183, 335
Metals, orthotropic sheet, 61
Method:
caustics, 253
comparison of potential, 315
Langrangian–Eulerian finite element, 237
r–s-adapted arbitrary
Model:
constitutive, 175
theoretical, 335
viscoelastic, 267

Neutron diffraction study, 325
NUMERICAL ANALYSIS AND EXPERIMENTAL VERIFICATION OF THE RADIAL GROWTH OF A TURBOCHARGER CENTRIFUGAL COMPRESSOR IMPELLER, *Paper*, 119

ON THE SINGULAR STRESS FIELD NEAR THE EDGE OF BONDED JOINTS, *Paper*, 301
ORIENTATION AND FORMABILITY OF ORTHOTROPIC SHEET METALS, *Paper*, 61

Photoelastic stress analysis, 157
Pin, 145
gudgeon, 375
Pipes, curved, 47
Plastic:
deformation, 455
film, 29
Plate:
flat, 145
laminated, 167
semicircularly notched tension, 229
Poisson's ratio, 201
Polyethylene, auxetic, 201
PREDICTION OF ELASTIC–PLASTIC DISPLACEMENTS OF TUBULAR JOINTS UNDER COMBINED LOADING USING AN ENERGY-BASED APPROACH, *Paper*, 435
Procedure for equation fitting, 365

Rails, alumino-thermic welded, 389
Reinforcement, end, 129
Residual stresses, 315, 389
RESIDUAL STRESSES IN ALUMINO-THERMIC WELDED RAILS, *Paper*, 389
Ring element, reduced integration finite, 47

Screw, variable-pitch lead, 157
Simulation:
finite element, 287
localized metal forming, 237
Specimen, axisymmetric two-material creep test, 107
State, cutting stress, 19
STATIC LATERAL COMPRESSION OF ALUMINIUM TUBES: STRAIN GAUGE MEASUREMENTS AND DISCUSSION OF THEORETICAL MODELS, *Paper*, 335
Steel:
5.0%Cr and 0.5%Mo, 455
pipeline, 325
Strain:
–dependent Poisson's ratio, 201
distributions, 167
gauge measurement, 183, 335
in vitro measured, 193
STRAIN DISTRIBUTIONS AROUND FASTENERS IN LAMINATED PLATES UNDER BIAXIAL IN-PLANE LOADING, *Paper*, 167
STRAIN GAUGE MEASUREMENT OF WHEEL–RAIL INTERACTION FORCES, *Paper*, 183
Stress, 145
alleviation of residual, 315
computer aided photoelastic, analysis, 157
cutting, 19
distribution, 375
elastic, distribution, 213
field, 301
intensity factors, 229, 253, 401, 411
elastic, 253
in three dimensions, 411
linear elastic, analysis, 47
local effects, 325
residual, 87, 315, 389, 455
singularities, 107
state of, 97
subsurface, 425
STRESS CALCULATION IN WELDS TAKING INTO ACCOUNT THE BEARING FORCE BETWEEN THE WELDED PARTS, *Technical Note*, 461
STRESS DISTRIBUTION IN GUDGEON PINS, *Paper*, 375
STRESSES IN A FLAT PLATE DUE TO A LOOSE PIN PRESSING AGAINST A CRACKED HOLE, *Paper*, 145
STRESS INTENSITY FACTORS AND FATIGUE LIFE OF BEAMS IN REVERSED BENDING, *Paper*, 401
STRESS INTENSITY FACTORS FOR SEMI-ELLIPTICAL INTERNAL SURFACE CRACKS IN AUTOFRETTAGED THICK-WALLED CYLINDERS, *Paper*, 351
STRESS INTENSITY FACTORS FOR SEMI-ELLIPTICAL SURFACE CRACKS IN SEMICIRCULARLY NOTCHED TENSION PLATES, *Paper*, 229
STRESS SINGULARITIES AT THE FREE SURFACE OF AN AXISYMMETRIC TWO-MATERIAL CREEP TEST SPECIMEN, *Paper*, 107
Study:
neutron diffraction, 325
photoelastic, 425
Surface, free, 107

Technique:
destructive, 87
neutron diffraction, 37
Tensile properties, 97
Tension, 229
Test, axisymmetric two-material creep, 107
Testing, biaxial, 129
THE INTERPRETATION OF THE STRAIN-DEPENDENT POISSON'S RATIO IN AUXETIC POLYETHYLENE, *Paper*, 201
THE LINEAR ELASTIC STRESS ANALYSIS OF CURVED PIPES UNDER GENERALIZED LOADS USING A REDUCED INTEGRATION FINITE RING ELEMENT, *Paper*, 47
THE MEASUREMENT OF PRIOR PLASTIC DEFORMATION IN METALLIC ALLOYS USING THE NEUTRON DIFFRACTION TECHNIQUE, *Paper*, 37
Theory, endochronic, 267
THE VISCOELASTIC MODEL ON ENDOCHRONIC THEORY, *Paper*, 267
Tubes:
aluminium, 335
pin-loaded, 213
Turbocharger, 119

VARIATION OF THE RESIDUAL STRESS STATE IN A WELDED JOINT DURING PLASTIC DEFORMATION IN A 5.0% Cr AND 0.5% Mo STEEL, *Paper*, 455
Verification, experimental, 119
Viscoelastic model, 267

Weld:
alumino-thermic, rails, 389
joint, 455
service-aged $\frac{1}{2}$Cr $\frac{1}{2}$Mo $\frac{1}{4}$V : 2$\frac{1}{4}$ Cr 1 Mo multipass, 273

© IMechE 1997